



Lithium Batteries Warranty

OLP-EB-V309_E63-AO01, OLP-EB-V386_E79-AO01, OLP-EB-V463_E95-AO01, OLP-EB-V540_E111-AO0, OLP-EB-V309_E63, OLP-EB-V386_E79, OLP-EB-V463_E95, OLP-EB-V540_E111, OLP-EB-V618_E127, OLP-EB-V695_E143,

Warranty:

This limited warranty (hereinafter “Warranty”) specified below applies to OLiPower OLP-EB-V309_E63-AO01, OLP-EB-V386_E79-AO01, OLP-EB-V463_E95-AO01, OLP-EB-V540_E111-AO0, OLP-EB-V309_E63, OLP-EB-V386_E79, OLP-EB-V463_E95, OLP-EB-V540_E111, OLP-EB-V618_E127, OLP-EB-V695_E143, and the Accessory Components (hereinafter “Products”) supplied by OLiPower Energy & Automatic Technology Ltd (hereinafter “OLiPower”) to End-user through Authorized Reseller.

Warranted Throughput Calculation Table (Cabinet)				
Model	Nominal capacity	Cell specifications	Warranted Throughput (MWh/kWh)	Remark
OLP-EB-V309_E63-AO01	1P24S*4 (63.67kWh)	206Ah/3.22V	290. 01	0.5C charge and discharge, the new battery lasts for 6000 cycles, with a discharge depth of 95% DOD and a 70% SOH to terminate its lifespan.
OLP-EB-V386_E79-AO01	1P24S*5 (79.59kWh)	206Ah/3.22V	362. 51	0.5C charge and discharge, the new battery lasts for 6000 cycles, with a discharge depth of 95% DOD and a 70% SOH to terminate its lifespan.
OLP-EB-V463_E95-AO01	1P24S*6 (95.51kWh)	206Ah/3.22V	435. 02	0.5C charge and discharge, the new battery lasts for 6000 cycles, with a discharge depth of 95% DOD and a 70% SOH to terminate its lifespan.
OLP-EB-V540_E111-AO01	1P24S*7 (111.43kWh)	206Ah/3.22V	507. 52	0.5C charge and discharge, the new battery lasts for 6000 cycles, with a discharge depth of 95% DOD and a 70% SOH to terminate its lifespan.
Warranted Throughput Calculation Table (Battery Cluster)				
Model	Nominal capacity	Cell specifications	Warranted Throughput (MWh/kWh)	Remark
OLP-EB-V309_E63	1P24S*4 (63.67kWh)	206Ah/3.22V	290. 01	0.5C charge and discharge, the new battery lasts for 6000 cycles, with a discharge depth of 95% DOD and a 70% SOH to terminate its lifespan.
OLP-EB-V386_E79	1P24S*5 (79.59kWh)	206Ah/3.22V	362. 51	0.5C charge and discharge, the new battery lasts for 6000 cycles, with a discharge depth of 95% DOD and a 70% SOH to terminate its lifespan.
OLP-EB-V463_E95	1P24S*6 (95.51kWh)	206Ah/3.22V	435. 02	0.5C charge and discharge, the new battery lasts for 6000 cycles, with a discharge depth of 95% DOD and a 70% SOH to terminate its lifespan.
OLP-EB-V540_E111	1P24S*7 (111.4KWh)	206Ah/3.22V	507. 52	0.5C charge and discharge, the new battery lasts for 6000 cycles, with a discharge depth of 95% DOD and a 70% SOH to terminate its lifespan.



OLP-EB-V618_E127	1P24S*8 (127.3KWh)	206Ah/3.22V	580. 02	0.5C charge and discharge, the new battery lasts for 6000 cycles, with a discharge depth of 95% DOD and a 70% SOH to terminate its lifespan.
OLP-EB-V695_E143	1P24S*9 (143.2KWh)	206Ah/3.22V	652. 53	0.5C charge and discharge, the new battery lasts for 6000 cycles, with a discharge depth of 95% DOD and a 70% SOH to terminate its lifespan.

Important Notice:

The Warranty is subject to the law of Australian State. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

The benefits to the consumer given by the warranty are in addition to any other rights and remedies of the consumer under a law in relation to the goods or services to which the warranty relates. This warranty only applies to the Buyer who have purchased the Products for their own use.

Warranty Terms:

We warrant that we will repair or replace (at our option) a Product or any part thereof, if such Product is faulty or defective in manufacture or materials for a period of 5 years from the date of purchase. If you only use for self-consumption of solar energy generated by an onsite array and for storing that solar energy for use as backup power, there is 6000 cycle your battery module in this 10- year period (whichever comes first is applicable).

We will endeavor to replace Products with identical products. However, due to technological advancements, that Product may not be available. In these cases, we will supply another type of product of at least the same value and standard, although the replacement product may be a different size, shape, color and/or capacity. Due to technical advances, it is possible that replacement parts or components may not be compatible with the other components already installed. Any costs relating to the incompatibility of systems is not covered by this Warranty.

If the products are replaced within the warranty period, the remaining warranty period will be automatically transferred to the replacement products. In this event, you will not receive a new certificate.

Battery Performance Guarantee: Upon the granting of the Warranty (with internet connection), we guarantee as follows: For systems operate under self-consumption mode, the warranted operating temperature range is -20 ~ 55°C for the cabinet system (derates over 51°C) and -20 ~45°C for the cluster system. We warrant that each battery module retains at least seventy percent (70%) of its usable capacity for 10 years, from the earlier of (i) the date the is installed at the end user's property or (ii) the date two months after the Product being sold to another business or personnel.

This Warranty only covers repairs or replacement of the defective product. It does not cover: any costs incurred by the end-user or the installer in normal or scheduled maintenance of the Product; or any other costs such as transportation, travelling and accommodation cost of personnel etc.; or



subject to any law to the contrary, any damage to property, personal injury, direct or indirect loss, any consequential losses or other expenses arising from breach of this Warranty.

Warranty Conditions:

This Warranty is subject to the following conditions: The Products must have been installed and correctly commissioned by an authorized and licensed installer. Proof may be required of correct commissioning of the Product (such as certificate of compliance). Claims for failures due to incorrect installation or commissioning are not covered under this Warranty. Where a Product or part thereof is replaced or repaired under this Warranty, the balance of the original Warranty period will apply. The replacement product or part(s) do not carry a new voluntary warranty. The Product must have its original serial number and rating labels intact and readable. This Warranty does not extend to any Products that have been completely or partially disassembled or modified, except where such disassembly is carried out by OLiPower. The terms of this Warranty cannot be amended except in writing by one of our authorized officers. This Warranty only applies to Products purchased by an end-user from us directly or a reseller where the Products have been sold to the reseller by us directly. Any warranty claim under this Warranty must meet the requirements set out below in the "How to Make a Warranty Claim" section. There must have been a commissioning report signed by the end-user and the installer for product commissioning and handling instructions.

Warranty Exclusions

This warranty will not apply to a defect or fault to the extent to which one or more of these conditions arises: Due to storage, handling, installation (or removal and/or reinstallation) or commissioning of the Product otherwise than in accordance with instructions provided by us, applicable safety regulations or without reasonable care including installation of a Product which is of an inappropriate size or type for the intended purpose; Due to operation, use or maintenance of the Product otherwise than in accordance with instructions provided by us or without reasonable care (including failure to maintain/clean the Product in accordance with recommendations in instruction/ operation manuals); due to accidental damage, theft or vandalism, or use of the Product for a purpose or in environmental conditions for which the Products were not designed for or sold, or use of the Products outside the specified or normal operating ranges for such Products; As a result of changes which occur in the condition or operational performance of the Product due to climate or other environmental influence, foreign material contamination (e.g. dirt, smoke, salt, chemicals and other impurities), water entry, exposure to excessive heat or solvents or because of use of the Product with insufficient ventilation (in particular the maximum temperatures according to the operating manual), exposure to strong vibrations, exposure to a strong magnetic field or damage as result of Force Majeure event; from normal wear and tear or when replacement or repair of parts would be part of normal maintenance or service of the Product or where the damage is only to surface coating, varnish or enamel; as a result of repairs, alterations or modifications to the Product which have been performed by a third party not authorized by us; From the use of any spare parts not manufactured, sold or approved by us in connection with the repair or replacement of Product; or as a result of the interconnection of the Product with products of another manufacturer; or as a result of any other defective or malfunctioning parts in the system into which the Product has been installed; Where the nameplate or serial number of the Product is modified, altered or not readable; If damage has occurred during transportation; or Other damages not affecting energy generation and which are of a visual nature (e.g. surface scratching). This Warranty does not apply to damage caused by continued use of the Product after it is known, or would have been known with regular servicing, it is defective.



Warranty Claim

If a Product fails within the Warranty period, the end-user must stop using the Product or the system in which the Product is installed as the case may be by isolating the Product from any energy source, make a claim as soon as possible and follow all instructions provided by us, or our representative or agents. To make a Warranty claim under this voluntary warranty, the end-user must contact us by the customer feedback system in online monitoring via www.olipower.cn or email postmaster@olipower.cn

Customer's assistance in returning the faulty unit: Following the receipt of the replacement unit, the customer must return the allegedly faulty unit in the same packaging material as the replacement unit. OLiPower will supply all labels, documentation and freight details for the return of the allegedly faulty unit. All allegedly faulty product must be returned within 10 (ten) working days of the receipt of the replacement unit. A qualified installer must be available for the unit exchange and re-commissioning. The replacement unit will be covered by the original warranty terms of the faulty unit for the remaining warranty period of the faulty unit.

Costs of Submitting a Warranty Claim: For invalid claims under this Warranty, we will not be liable for the end-user's costs in making the warranty claim, including transport or return freight. In respect of valid claims under this Warranty, the end-user will not be charged for reasonable costs associated with the making of a warranty claim, including warranty processing costs, The cost of replacement parts or freight, and labor cost associated with the Products removal and installation. Reimbursement for necessary and reasonably incurred costs or expenses in making valid warranty claims under this Warranty may be claimed from us. For labor costs reimbursement under a valid warranty claim, it will be limited to maximum AUD 150 plus GST per claim. Documentary evidence in support of such claim will be required

Deadlines for Submitting Warranty Claims We aim to rectify genuine quality problems as a priority. This is generally achieved by investigating why defective products have failed and by introducing immediate corrective action measures to prevent re-occurring of the warranty failures. It is therefore critical that all claims under this Warranty are promptly submitted to us as soon as the Product fails, and in any event, within three months of knowledge of the matter of event giving rise to the claim. No consideration will be given to claims under this Warranty which are made after this period.

Product Liability and Product Safety

We should be informed immediately about any potential product safety concerns within and outside the warranty period. We are aware of our product liability and product safety obligations and responsibilities. It is our aim to ensure appropriate product safety standards are met in order to avoid injury, loss and damage caused by defects in any Product.

Miscellaneous

This Warranty shall form part of the purchase contract in respect of the Product between us and the end-user and shall be complied with by both parties; No other voluntary manufacturer's warranty shall be provided by us. This Warranty does not apply to anyone who has purchased the Products for the purposes of resale. This Warranty is non-transferable except where the Products are installed in a building, this Warranty will then transfer to any subsequent purchaser of that building or of the Products so long as the Products remain installed. This Warranty only applies where Products have been installed by a properly certified battery installer (CEC approved), and correctly followed the installation manual.

**Effective Date:**

1 Apr. 2022

Contact Details

This warranty is offered by OLiPower. For any questions, please contact:

Email: postmaster@olipower.cn

Phone: +86-755-26508686

Address: 1001, Block A, Building 2, SEZ Constrution Wisdom Park, No. 380
Guangming Avenue, Tangwei Community, Fenghuang Street, Guangming District,
Shenzhen City, Guangdong Province

Australian Importer Information

Importer Company Name: Ocean Energy Pty Ltd

Trading Address: Unit 1, 23-25 Burchill St, Loganholme, QLD 4129

Website: www.ocean-energy.com.au

Phone: +61 426 761 728

Email: services@ocean-energy.com.au